

Polielettronica Multi Image & Multi Image Lab




To meet the needs of the package printing market the Polielettronica Multi Image printer is designed to accommodate a large selection of cluster lens setups. Printer is available in two configurations, freestanding printer and a lab version, connected to a processor.

The Polielettronica Multi Image Printer can accommodate single or cluster lenses. A two tier system has a fixed bottom turret and an interchangeable top turret . Each turret can hold up to six cluster/lens setups which are arranged according to the package specifications. Up to 18 different clusters and/or single lenses can be used. The operator , working in daylight, can simply exchange the top turret; the computer handles all the changed parameters automatically. The programming capability gives the user total control of the package selection options.



Viewing Lightbox - on freestanding model Up to three lens turrets of 6 setups each Automatic rotating negative carrier Prints package work and enlargements Three cutting modes with lab system Full daylight operation Print sizes - Subwallets to 12x18" Film sizes - 35mm to 4x5" including carded negatives



On-Screen Cropping Box This is how the monitor appears in the Cropping Mode Grayed out area is the non printing area.

The Multi Image utilizes the powerful Videoscan system to give you first shot printing capability. With the Lab version the entire video analyzing, printing, processing and cutting operations are performed by as single operator, in a single location and in a single operation. This means that you will have ready to ship product in minutes. Freestanding version also utilizes the Videoscan system to perform direct video analyzation and give you first time printing capability.

The Polielettronica Multi Image Lab has three cutting modes. Of the two package cutting modes, one cuts at the end of each package order, the second has the ability to cut and separate each picture size. For non-package work the printer will cut each individual print.

The freestanding Polielettronica Multi Image Printer minimizes paper waste by utilizing the computer to control paper transport and cassette winding and unwinding. Printer uses universal daylight loading paper cassettes which are adjustable to accommodate the paper width. Punch markers are included for cutter control.



The versatile Multi Image goes beyond being just a package printer. It offers on-screen critical cropping and sizing for "custom" printing of non-package images up to 12x18".

Options and Accessories:

Full range of Cluster Lenses Single Lenses On-Line Reference Densitometer Frame Grabber Backprinter (one line only) Greeting Card Attachment









©1998 Colex Imaging Inc. All Rights Reserved 347 Evelyn Street, Paramus, NJ 07652 USA Tel. 201-265-5670 Fax 201-265-7093

